

[Help](#) [Home](#) [Boolean](#) [Advanced](#) [Number](#) [Order Copy](#) [PTDLs](#)

Searching 76-97...

[Search Summary]

Results of Search in 76-97 db for:

(microprocesser or microprocessor) AND (temperature or thermal)and threshold: 28 patents.

Hits 1 through 28 out of 28

[Refine Search](#)

(microprocesser or microprocessor) AND (temperature or thermal)

Score Pat. No. Title

1. (100) [5,663,899](#) Redundant thermocouple
2. (093) [5,490,059](#) Heuristic clock speed optimizing mechanism and computer system employing the same
3. (088) [4,376,942](#) Thermal printing system
4. (072) [5,566,077](#) Media and optical drive operating *temperature* control system and method
5. (064) [5,451,892](#) Clock control technique and system for a *microprocessor* including a *thermal sensor*
6. (062) [5,627,444](#) Switched reluctance motor control
7. (059) [4,733,310](#) Paper sheet and envelope feeder apparatus
8. (059) [4,851,661](#) Programmable near-infrared ranging system
9. (052) [5,350,114](#) *Microprocessor* controller for diesel fuel fired heater
10. (046) [4,504,922](#) Condition sensor
11. (046) [4,517,986](#) Four function vital sign monitor
12. (041) [4,931,976](#) Temperature compensated side lobe suppression
13. (040) [5,201,862](#) Low refrigerant charge protection method
14. (036) [5,422,832](#) Variable *thermal* sensor
15. (029) [4,771,152](#) Microwave ovens and methods for cooking primarily baked goods and frozen foods
16. (023) [4,612,671](#) Laser transmitter
17. (021) [4,307,294](#) Electro-mechanical control means for space communication receiver
18. (016) [5,291,667](#) Electronic control of clothes dryer
19. (016) [5,444,924](#) Electronic control of clothes dryer
20. (012) [5,305,234](#) Thermal protection apparatus for a synchronous machine
21. (011) [4,710,730](#) Data clock oscillator having accurate duty cycle
22. (011) [4,773,021](#) Adaptive model-based pressure control and method of resin cure
23. (011) [4,853,884](#) Random number generator with digital feedback
24. (008) [5,255,556](#) Air quality indicator and control for air quality machine
25. (008) [5,285,647](#) Refrigerant handling system with air purge and multiple refrigerant capabilities
26. (005) [4,608,674](#) Constant range ultrasonic motion detector
27. (001) [5,304,861](#) Circuit for the detection of *temperature threshold*, light and unduly low clock frequency
28. (001) [5,319,572](#) Electrohydraulic fluid monitor system

[Refine Search](#)

(microprocesser or microprocessor) AND (temperature or thermal)

Search Summary

micropocesser: 15 occurrences in 14 patents.

microprocessor: 21274 occurrences in 11520 patents.

(micropocesser OR microprocessor): 11527 patents.

temperature: 213277 occurrences in 110403 patents.

thermal: 65893 occurrences in 38428 patents.

(temperature OR thermal): 137904 patents.

((micropocesser OR microprocessor) AND (temperature OR thermal)): 888 patents.

threshold: 25894 occurrences in 14234 patents.

((((micropocesser OR microprocessor) AND (temperature OR thermal)) AND threshold): 28 patents.

Search Time: 2.19 seconds.

[Help](#) [Home](#) [Boolean](#) [Advanced](#) [Number](#) [Order Copy](#) [PTDLs](#)*Searching 96-97...***[Search Summary]****Results of Search in 96-97 db for:****microprocessor AND (thermal or temperature) and frequency:** 17 patents.*Hits 1 through 17 out of 17*[Refine Search](#)

microprocessor AND (thermal or temperature) and frequency

Pat. No.**Title**

1. [5,680,015](#) Method to operate a discharge lamp, and circuit arrangement for operation of the discharge lamp
2. [5,670,708](#) High *frequency* intravascular prosthesis fatigue tester
3. [5,649,320](#) Automatic *frequency* control loop and *temperature* compensation for a receiver
4. [5,642,388](#) Frequency adjustable PLL clock generation for a PLL based *microprocessor* based on *temperature* and/or operating voltage and method therefor
5. [5,630,212](#) Microwave radio system with software configuration of operating parameters
6. [5,629,708](#) GPS receiver having an initial adjustment for correcting for drift in reference *frequency*
7. [5,619,430](#) Microcontroller with on-chip linear *temperature* sensor
8. [5,594,453](#) GPS receiver having a rapid acquisition of GPS satellite signals
9. [5,593,498](#) Apparatus for rotating a crucible of a crystal pulling machine
10. [5,592,827](#) *Temperature* controlling method of refrigerator using *microprocessor*
11. [5,519,265](#) Adaptive RC product control in an analog-signal-manipulating circuit
12. [5,502,838](#) *Temperature* management for integrated circuits
13. [5,498,977](#) Output driver having process, voltage and *temperature* compensation for delay and risetime
14. [5,498,971](#) Method and control circuit for measuring the *temperature* of an integrated circuit
15. [5,491,415](#) Magnetic resonance scanner with improved packaging for circuitry within the magnetic field
16. [5,490,059](#) Heuristic clock speed optimizing mechanism and computer system employing the same
17. [5,484,400](#) Dual channel RF delivery system

[Refine Search](#)

microprocessor AND (thermal or temperature) and frequency

Search Summary**microprocessor:** 3865 occurrences in 1906 patents.**thermal:** 9201 occurrences in 4898 patents.**temperature:** 23099 occurrences in 11289 patents.

(thermal OR temperature): 14871 patents.

(microprocessor AND (thermal OR temperature)): 144 patents.

frequency: 18728 occurrences in 7742 patents.

((microprocessor AND (thermal OR temperature)) AND frequency): 17 patents.

[Help](#) [Home](#) [Boolean](#) [Advanced](#) [Number](#) [Order Copy](#) [PTDLs](#)*Searching 96-97...*[Search Summary]**Results of Search in 96-97 db for:****microprocessor AND (thermal or temperature) and frequency:** 17 patents.*Hits 1 through 17 out of 17*[Refine Search](#)

microprocessor AND (thermal or temperature) and fre

- | Pat. No. | Title |
|-------------------------------|---|
| 1. 5,680,015 | Method to operate a discharge lamp, and circuit arrangement for operation of the discharge lamp |
| 2. 5,670,708 | High <i>frequency</i> intravascular prosthesis fatigue tester |
| 3. 5,649,320 | Automatic <i>frequency</i> control loop and <i>temperature</i> compensation for a receiver |
| 4. 5,642,388 | <i>Frequency</i> adjustable PLL clock generation for a PLL based microprocessor based on <i>temperature</i> and/or operating voltage and method therefor |
| 5. 5,630,212 | Microwave radio system with software configuration of operating parameters |
| 6. 5,629,708 | GPS receiver having an initial adjustment for correcting for drift in reference <i>frequency</i> |
| 7. 5,619,430 | Microcontroller with on-chip linear <i>temperature</i> sensor |
| 8. 5,594,453 | GPS receiver having a rapid acquisition of GPS satellite signals |
| 9. 5,593,498 | Apparatus for rotating a crucible of a crystal pulling machine |
| 10. 5,592,827 | <i>Temperature</i> controlling method of refrigerator using microprocessor |
| 11. 5,519,265 | Adaptive RC product control in an analog-signal-manipulating circuit |
| 12. 5,502,838 | <i>Temperature</i> management for integrated circuits |
| 13. 5,498,977 | Output driver having process, voltage and <i>temperature</i> compensation for delay and <i>risetime</i> |
| 14. 5,498,971 | Method and control circuit for measuring the <i>temperature</i> of an integrated circuit |
| 15. 5,491,415 | Magnetic resonance scanner with improved packaging for circuitry within the magnetic field |
| 16. 5,490,059 | Heuristic clock speed optimizing mechanism and computer system employing the same |
| 17. 5,484,400 | Dual channel RF delivery system |

[Refine Search](#)

microprocessor AND (thermal or temperature) and fre

Search Summary**microprocessor:** 3865 occurrences in 1906 patents.**thermal:** 9201 occurrences in 4898 patents.**temperature:** 23099 occurrences in 11289 patents.

(thermal OR temperature): 14871 patents.

(microprocessor AND (thermal OR temperature)): 144 patents.

frequency: 18728 occurrences in 7742 patents.

((microprocessor AND (thermal OR temperature)) AND frequency): 17 patents.

Search Time: 0.73 seconds.